# NSN 5930-00-777-6538

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-777-6538

## **Thread Class:**

2a single mounting facility

### Thread Length:

0.250 inches single mounting facility

## **Overall Length:**

7.000 inches

#### First Flat Length:

1.438 inches single actuator

#### Flat Height:

0.218 inches single actuator

#### Shaft Diameter:

0.250 inches single actuator

#### Shaft Length:

1.500 inches single actuator

#### **Overall Diameter:**

1.875 inches

#### Individual Section Quantity:

11

#### **Operating Tempurature Range:**

-65.0/+85.0 degrees celsius

### Switch Contact Basic Design:

Nonpile-up symmetrical

#### Pole Quantity:

1 each section rear

#### **Throw Quantity:**

8 each section rear

#### **Mounting Method:**

Threaded bushing single mounting facility

#### **Thread Size:**

0.375 inches single mounting facility

#### Contact Voltage Rating In Volts:

28.0 dc at sea level

#### Switch Actuator Indexing Position Quantity:

8 single actuator

#### Shaft Type:

Round, flatted single actuator

#### **Terminal Type:**

Tab, solder lug

#### **Contact Switching Action:**

Breaks before makes each section front

## Switch Actuator Positioning Increment:

30.0 degrees single actuator

# NSN 5930-00-777-6538

Rotary Switch - Page 2 of 2



**Contact Load Current Rating:** 

500.0 milliamperes resistive load ac at sea level

Style Designator:

Circular wafer, bushing mount

**Thread Series Designator:** 

Unef single mounting facility

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A052b0