## NSN 5930-00-779-9652

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-779-9652

Thread Length:

0.370 inches single mounting facility

**Overall Length:** 

2.875 inches

First Flat Length:

0.750 inches single actuator

Flat Height:

0.210 inches single actuator

**Shaft Diameter:** 

0.248 inches single actuator and 0.252 inches single actuator

**Shaft Length:** 

5.875 inches single actuator

**Overall Diameter:** 

2.000 inches

**Individual Section Quantity:** 

^

**Operating Tempurature Range:** 

-65.0/+125.0 degrees celsius

**Switch Contact Basic Design:** 

Nonpile-up symmetrical

**Pole Quantity:** 

2 each section periphery

**Mounting Method:** 

Threaded bushing single mounting facility

**Contact Voltage Rating In Volts:** 

28.0 dc at sea level

**Switch Actuator Indexing Position Quantity:** 

12 single actuator

**Shaft Type:** 

Round, flatted single actuator

**Terminal Type:** 

Tab, solder lug

**Contact Switching Action:** 

Breaks before makes each section front

**Switch Actuator Positioning Increment:** 

15.0 degrees single actuator

**Switch Actuator Stop Device Type:** 

Fixed stop single actuator

**Contact Load Current Rating:** 

5.0 amperes resistive load ac at sea level

Style Designator:

Circular wafer, bushing mount

## NSN 5930-00-779-9652

Rotary Switch - Page 2 of 2



| _ |   |   |     | - |      |  |
|---|---|---|-----|---|------|--|
| C | h | Δ | Iŧ. |   | ife: |  |
|   |   |   |     |   |      |  |

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A052b0