## NSN 5930-00-782-6149

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-782-6149

Thread Class:
2b all threaded hole
Hazardous Locations/environmental Protection:
Driptight
Overall Length:
3.875 inches
Overall Height:
2.000 inches
Overall Width:
2.750 inches
Body Length:
3.000 inches
Longest Horizontal Distance Between Mounting Centers:
2.375 inches
Longest Vertical Distance Between Mounting Centers:
1.250 inches
Tempurature Sensing Element Type:
Internal sensor
Operating Tempurature Rating:
Between -65.0 degrees fahrenheit and 150.0 degrees fahrenheit
Mounting Method:
Threaded hole
Thready Qty Per Inch (tpi):
32 all threaded hole
Contact Action Stimulus:
Increase
Thread Size:
0.138 inches all threaded hole
Mounting Facility Pattern:
Four position rectangular
Nonpile-up Contact Arrangement:
1 pole, double throw, one position momentary
Terminal Type:
Connector, receptacle
Contact Load Current Rating:
10.0 amperes inductive load single voltage
Contact Adjustability:
Actuation point adjustable
Contact Adjustment Range:
+0.00/+90.00 actuation point degrees fahrenheit

**Contact Adjustment Type:** 

External actuation point shaft

## NSN 5930-00-782-6149

Thermostatic Switch - Page 2 of 2



## Contact Voltage Rating In Volts: 24.0 dc at sea level single voltage Media For Which Designed: Gas or liquid Style Designator: Rectangular Thread Series Designator: Unc all threaded hole Shelf Life: N/a Unit Of Measure: -Demilitarization:

No Fiig: A048b0