# NSN 5930-00-789-1751

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-789-1751

## **Thread Class:**

2a single mounting facility

## Thread Length:

0.250 inches single mounting facility

## **Overall Length:**

1.872 inches

## First Flat Length:

0.250 inches single actuator

#### Flat Height:

0.218 inches single actuator

## Shaft Diameter:

0.248 inches single actuator and 0.252 inches single actuator

## Shaft Length:

0.312 inches single actuator

## **Overall Diameter:**

2.156 inches

## Individual Section Quantity:

2

## Switch Contact Basic Design:

Nonpile-up nonsymmetrical

## **Mounting Method:**

Threaded bushing single mounting facility

## **Thread Size:**

0.375 inches single mounting facility

## **Contact Voltage Rating In Volts:**

28.0 dc at sea level

## Switch Actuator Indexing Position Quantity:

6 single actuator

## Shaft Type:

Round, flatted single actuator

## **Terminal Type:**

Tab, solder lug

## **Switch Actuator Positioning Increment:**

30.0 degrees single actuator

## Switch Actuator Stop Device Type:

Fixed stop single actuator

## **Contact Load Current Rating:**

1.0 amperes resistive load ac at sea level

## **Precious Material And Location:**

Contacts and rotor blades silver

## **Precious Material:**

Silver

# NSN 5930-00-789-1751

Rotary Switch - Page 2 of 2

Style Designator:

Circular wafer, bushing mount

## Thread Series Designator:

Unef single mounting facility

Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

No

Fiig:

A052b0

