

View Online at <https://aerobasegroup.com/nsn/5930-00-789-6714>

Hazardous Locations/environmental Protection:

Dustproof

Overall Length:

3.810 inches

Overall Height:

2.670 inches

Overall Width:

2.670 inches

First Flat Length:

0.690 inches single actuator

Shaft Diameter:

0.890 inches single actuator

Shaft Length:

2.310 inches single actuator

Unthreaded Mounting Hole Diameter:

0.260 inches single mounting facility and 0.270 inches single mounting facility

Individual Section Quantity:

1

Knob Manufacturer Code:

16764

Knob Specificationial Markings:

Pull turn

Longest Horizontal Distance Between Mounting Centers:

1.865 inches single mounting facility and 1.885 inches single mounting facility

Switch Contact Basic Design:

Nonpile-up nonsymmetrical

Mounting Method:

Unthreaded hole single mounting facility

Features Provided:

Actuator knob and metallic inclosure and pull to turn and cam actuated

Contact Voltage Rating In Volts:

28.0 dc at sea level

Switch Actuator Momentary Position:

Clockwise single actuator and counterclockwise single actuator

Mounting Facility Pattern:

Two position in-line single mounting facility

Switch Actuator Indexing Position Quantity:

3 single actuator

Shaft Type:

Round, flatted, threaded hole single actuator

Terminal Type:

Threaded stud

Contact Switching Action:

Makes before breaks, breaks before makes single section rear

Switch Actuator Positioning Increment:

45.0 degrees single actuator

Contact Load Current Rating:

3.0 amperes resistive load ac at sea level

Style Designator:

Tap, circuit selector

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A052b0