NSN 5930-00-792-0784

Rotary Switch - Page 1 of 2



930-00-792-0784

View Online at https://aerobasegroup.com/nsn/5930-
Thread Length:
0.437 inches single mounting facility
Hazardous Locations/environmental Protection:
Dustproof
Shaft Diameter:
0.250 inches single actuator
Shaft Length:
0.874 inches single actuator
Individual Section Quantity:
2
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
2 each section front
Throw Quantity:
3 each section rear
Mounting Method:
Threaded bushing single mounting facility
Thread Size:
0.375 inches single mounting facility
Contact Voltage Rating In Volts:
28.0 dc at sea level
Rotor Through Connection Quantity:
2 each section
Switch Actuator Indexing Position Quantity:
3 single actuator
Shaft Type:
Round single actuator
Terminal Type:
Tab, solder lug
Contact Switching Action:
Breaks before makes each section front
Switch Actuator Positioning Increment:
30.0 degrees single actuator
Contact Load Current Rating:
1.0 amperes resistive load dc at sea level
Thread Series Designator:
Unef single mounting facility
Shelf Life:
N/a

Unit Of Measure:

NSN 5930-00-792-0784

Rotary Switch - Page 2 of 2



Demilitarization:

No

Fiig:

A052b0