# NSN 5930-00-792-3559

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-792-3559

**Thread Class:** 

2b single mounting facility

**Overall Length:** 

2.282 inches

**Overall Height:** 

1.750 inches

**Overall Width:** 

1.750 inches

**Shaft Diameter:** 

0.250 inches single actuator

**Shaft Length:** 

0.938 inches single actuator

**Individual Section Quantity:** 

1

#### **Longest Horizontal Distance Between Mounting Centers:**

1.375 inches single mounting facility

### **Operating Tempurature Range:**

-65.0/+85.0 degrees celsius

**End Application:** 

Se test fixt e/i 03956

# **Switch Contact Basic Design:**

Nonpile-up symmetrical

**Pole Quantity:** 

2 single section rear

**Throw Quantity:** 

6 single section rear

**Mounting Method:** 

Threaded hole single mounting facility

Thready Qty Per Inch (tpi):

32 single mounting facility

**Thread Size:** 

0.138 inches single mounting facility

**Contact Voltage Rating In Volts:** 

28.0 dc at sea level

#### **Rotor Through Connection Quantity:**

2 single section

#### **Mounting Facility Pattern:**

Two position in-line single mounting facility

## **Switch Actuator Indexing Position Quantity:**

6 single actuator

#### **Shaft Type:**

Round single actuator

# **NSN 5930-00-792-3559**Rotary Switch - Page 2 of 2



Terminal Type:
Turret
Contact Switching Action:
Breaks before makes single section rear
Switch Actuator Positioning Increment:
30.0 degrees single actuator
Detent Rotational Torque Range:
+0.500/+50.000 inch-pounds single actuator
Switch Actuator Stop Device Type:
Adjustable stop single actuator
Contact Load Current Rating:
4.0 amperes resistive load dc at sea level
Precious Material And Location:
Wipers silver
Precious Material:
Silver
Style Designator:
Tap, square frame
Thread Series Designator:
Unc single mounting facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A052b0