NSN 5930-00-797-1069

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-797-1069

Thread Class: 2a single mounting facility Thread Length: 0.375 inches single mounting facility **Hazardous Locations/environmental Protection:** Dustproof **Overall Length:** 3.469 inches **Overall Height:** 1.500 inches **Overall Width:** 1.875 inches **Shaft Diameter:** 0.250 inches single actuator **Shaft Length:** 1.125 inches single actuator **Individual Section Quantity:** 3 **Switch Contact Basic Design:** Nonpile-up nonsymmetrical **Pole Quantity:** 2 2nd section rear **Throw Quantity:** 8 2nd section rear **Mounting Method:** Threaded bushing single mounting facility **Thread Size:** 0.375 inches single mounting facility **Contact Voltage Rating In Volts:** 28.0 dc at sea level **Switch Actuator Indexing Position Quantity:** 8 single actuator **Shaft Type:** Round single actuator **Terminal Type:** Tab, solder lug **Contact Switching Action:** Makes before breaks single section front **Switch Actuator Positioning Increment:** 30.0 degrees single actuator

Switch Actuator Stop Device Type:

Fixed stop single actuator

NSN 5930-00-797-1069

Rotary Switch - Page 2 of 2



Contact Load	Current	Rating:
--------------	---------	---------

500.0 milliamperes resistive load ac at sea level

Precious Material And Location:

Contacts and rotors surfaces silver

Precious Material:

Silver

Style Designator:

Circular wafer, bushing mount

Thread Series Designator:

Unef single mounting facility

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0