NSN 5930-00-811-8250

Rotary Switch Section - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-811-8250
Hazardous Locations/environmental Protection:
Moisture resistant and shock resistant and vibration resistant
Overall Height:
1.875 inches
Overall Width:
1.625 inches
Unthreaded Mounting Hole Diameter:
0.140 inches single mounting facility
Distance Between Mounting Facility Centers:
1.562 inches single mounting facility
Operating Tempurature Range:
-65.0/+85.0 degrees celsius
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
1 single section rear
Throw Quantity:
8 single section rear
Mounting Method:
Strut single mounting facility and unthreaded hole single mounting facility
Features Provided:
Metallic inclosure
Contact Voltage Rating In Volts:
28.0 dc at sea level
Mounting Facility Pattern:
Two position in-line single mounting facility
Terminal Type:
Tab, solder lug
Contact Switching Action:
Makes before breaks single section rear
Contact Load Current Rating:
450.0 milliamperes resistive load ac at sea level
Precious Material And Location:
Clips and rotor silver
Precious Material:
Silver
Style Designator:
Switch section, rotary
Shelf Life:
N/a

__

Unit Of Measure:

NSN 5930-00-811-8250

Rotary Switch Section - Page 2 of 2



Demilitarization:

No

Fiig:

A052b0