NSN 5930-00-834-2555

Pressure Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-834-2555

view Offilite at https://aerobasegroup.com/hist//0000-00-4-2000
Inside Diameter:
0.250 inches single connection
Overall Length:
4.000 inches
Overall Height:
3.280 inches
Overall Width:
2.500 inches
Body Length:
4.000 inches
Pressure Switch Type:
Differential
Operating Tempurature Rating:
Between -54.0 degrees celsius and 65.0 degrees celsius
Mounting Method:
Inlet connection
Thready Qty Per Inch (tpi):
18 single pressure connection
Contact Action Stimulus:
Increase
Thread Size:
0.250 inches single pressure connection
Nonpile-up Contact Arrangement:
2 pole, double throw, one position momentary
Terminal Type:
Screw
Contact Load Current Rating:
2.0 amperes resistive load single voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
28.00 actuation point pounds per square inch gage and 30.00 actuation point pounds per square inch gage and 5.00 differential point
pounds per square inch gage and 7.00 differential point pounds per square inch gage
Contact Voltage Rating In Volts:
48.0 dc at sea level single voltage
Pressure Connector Type:
Plain, threaded internal single connection
Media For Which Designed:
Gas
Style Designator:
Rectangular w/bracket

Thread Series Designator:

Nptf single pressure connection

NSN 5930-00-834-2555

Pressure Switch - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0