NSN 5930-00-837-5471

Sensitive Switch - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5930-00-837-5471

Maximum Voltage Rating In Volts: 250.0 ac and 28.0 dc End Application: Forrestal class cv; deep submergence systems programs Inclosure Type: Fully enclosed Nonpile-up Contact Arrangement: 2 pole, double throw, both positions maintained single switch unit Switch Release Force: 64.0 ounces Criticality Code Justification:	
End Application: Forrestal class cv; deep submergence systems programs Inclosure Type: Fully enclosed Nonpile-up Contact Arrangement: 2 pole, double throw, both positions maintained single switch unit Switch Release Force: 64.0 ounces Criticality Code Justification:	
Forrestal class cv; deep submergence systems programs Inclosure Type: Fully enclosed Nonpile-up Contact Arrangement: 2 pole, double throw, both positions maintained single switch unit Switch Release Force: 64.0 ounces Criticality Code Justification:	
Inclosure Type: Fully enclosed Nonpile-up Contact Arrangement: 2 pole, double throw, both positions maintained single switch unit Switch Release Force: 64.0 ounces Criticality Code Justification:	
Fully enclosed Nonpile-up Contact Arrangement: 2 pole, double throw, both positions maintained single switch unit Switch Release Force: 64.0 ounces Criticality Code Justification:	
Nonpile-up Contact Arrangement: 2 pole, double throw, both positions maintained single switch unit Switch Release Force: 64.0 ounces Criticality Code Justification:	
2 pole, double throw, both positions maintained single switch unit Switch Release Force: 64.0 ounces Criticality Code Justification:	
Switch Release Force: 64.0 ounces Criticality Code Justification:	
64.0 ounces Criticality Code Justification:	
Criticality Code Justification:	
Feat	
Switch Actuating Force:	
Between 96.0 ounces and 192.0 ounces	
Actuator Movement:	
Between 0.040 pretravel inches and 0.250 overtravel inches and 0.020 differential inches	
Contact Load Current Rating At Maximum Rated Voltage:	
5.000 amperes resistive dc and 3.000 amperes inductive dc and 5.000 amperes resistive ac and 5.000 amperes inductive	ductive ac
Special Features:	
Weapon system essential	
Terminal Type And Quantity:	
6 wire lead	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A053a0	