## NSN 5930-00-845-0302

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-845-0302

| Overall Length:   |
|---|
| 0.688 inches  |
| Overall Height:   |
| Between 0.566 inches and 0.694 inches   |
| Body Diameter:  |
| 0.640 inches  |
| Body Height:  |
| 0.406 inches  |
| Unthreaded Mounting Hole Diameter:  |
| 0.147 inches  |
| Distance Between Mounting Facility Centers:   |
| 0.438 inches  |
| Tempurature Sensing Element Type:   |
| Internal sensor   |
| Operating Tempurature Rating:   |
| 150.0 degrees celsius and -65.0 degrees celsius                                     |
| Mounting Method:  |
| Unthreaded hole   |
| Contact Action Stimulus:  |
| Increase  |
| Mounting Facility Pattern:  |
| Two position in-line  |
| Nonpile-up Contact Arrangement:   |
| 1 pole, single throw, normally closed, momentary action                             |
| Terminal Type:  |
| Tab, solder lug   |
| Contact Load Current Rating:  |
| 4.0 amperes resistive load second voltage   |
| Contact Adjustability:  |
| Deactuation point not adjustable and actuation point not adjustable                 |
| Contact Stimulus Rating:  |
| 140.00 actuation point degrees celsius and 125.00 deactuation point degrees celsius |
| Contact Voltage Rating In Volts:  |
| 30.0 dc at sea level second voltage   |
| Frequency In Hertz:   |
| 60.0 single voltage   |
| Media For Which Designed:   |
| Gas or liquid   |
| Style Designator:   |
| Disc w/flange   |
| Shelf Life:   |
| N/a   |

## NSN 5930-00-845-0302

Thermostatic Switch - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A048b0

