NSN 5930-00-850-6774

Hazardous Locations/environmental Protection:

Dustproof

Gas

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-850-6774

Overall Length:
2.188 inches
Overall Height:
1.105 inches
Body Diameter:
1.062 inches
Body Height:
0.630 inches
Unthreaded Mounting Hole Diameter:
0.157 inches
Distance Between Mounting Facility Centers:
1.812 inches
Tempurature Sensing Element Type:
Internal sensor
Operating Tempurature Rating:
Between -65.0 degrees fahrenheit and 325.0 degrees fahrenheit
Mounting Method:
Bracket and unthreaded hole
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
3 pole, double throw, one position momentary
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
10.0 amperes resistive load second voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
250.00 actuation point degrees fahrenheit and 210.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
208.0 ac at sea level first voltage
Special Features:
Not provided with visual indicating thermometer
Frequency In Hertz:
60.0 second voltage and 400.0 second voltage
Media For Which Designed:

NSN 5930-00-850-6774

Thermostatic Switch - Page 2 of 2



Style Designator:
Disc w/flange
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A048b0