NSN 5930-00-853-4093

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-853-4093

view Offline at https://aerobasegroup.com/hsh/5550-00-055-4055
Thread Class:
2a single mounting facility
Thread Length:
0.250 inches single mounting facility
Hazardous Locations/environmental Protection:
Dustproof
Overall Length:
3.406 inches
Overall Height:
2.000 inches
Overall Width:
1.688 inches
Individual Section Quantity:
1
Knob Manufacturer Code:
01121
Switch Contact Basic Design:
Nonpile-up nonsymmetrical
Mounting Method:
Threaded bushing single mounting facility
Features Provided:
Actuator knob
Thready Qty Per Inch (tpi):
12 single mounting facility
Thread Size:
1.188 inches single mounting facility
Contact Voltage Rating In Volts:
240.0 highest dc voltage rating at sea level
Switch Actuator Momentary Position:
Counterclockwise single actuator
Cam Actuated Switch Contact Arrangement:
2 two circuit, double break/double make, both positions maintained single switch single section in-line
Switch Actuator Indexing Position Quantity:
3 single actuator
Terminal Type:
Tab w/screw
Contact Switching Action:
Breaks before makes single section in-line
Contact Load Current Rating:
6.0 amperes resistive load lowest ac voltage rating at sea level

Style Designator:

In-line, cam actuated

NSN 5930-00-853-4093

Rotary Switch - Page 2 of 2



	T	hr	ead	Series	Design	nator
--	---	----	-----	---------------	--------	-------

Un single mounting facility

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0