NSN 5930-00-863-3141

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-863-3141

Hazardous Locations/environmental Protection:
General purpose-nema type 1
Overall Length:
9.687 inches
Overall Height:
2.688 inches
Overall Width:
3.375 inches
Body Diameter:
0.688 inches
Body Length:
5.125 inches
Unthreaded Mounting Hole Diameter:
0.219 inches
Longest Horizontal Distance Between Mounting Centers:
1.624 inches
Longest Vertical Distance Between Mounting Centers:
1.375 inches
Tempurature Sensing Element Type:
Immersion well
Mounting Method:
Immersion well and unthreaded hole
Features Provided:
Electrical access port
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position diagonal
Nonpile-up Contact Arrangement:
1 pole, double throw, one position momentary
Terminal Type:
Wire lead
Contact Load Current Rating:
5.0 amperes resistive load first voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point adjustable, preset
Contact Adjustment Range:
+147.00/+288.00 actuation point degrees fahrenheit
Contact Adjustment Type:

Contact Stimulus Rating:

External actuation point screw

190.00 actuation point degrees fahrenheit and 140.00 deactuation point degrees fahrenheit and 274.00 deactuation point degrees fahrenheit and 3.50 differential point degrees fahrenheit

NSN 5930-00-863-3141

Thermostatic Switch - Page 2 of 2



Contact Voltage Rating In Volts: 600.0 dc at sea level second voltage Frequency In Hertz: 60.0 first voltage Media For Which Designed: Liquid Style Designator: Rectangular Shelf Life: N/a Unit Of Measure: -Demilitarization:

No Fiig: A048b0