## NSN 5930-00-867-5696

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-867-5696 **Thread Class:** 2a single mounting facility **Thread Length:** 0.375 inches single mounting facility **Overall Length:** 1.920 inches **Overall Height:** 1.500 inches **Overall Width:** 1.490 inches **Individual Section Quantity:** 2 **Nonturn Device Type:** Flatted bushing at 9: 00 o'clock **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Switch Contact Basic Design:** Nonpile-up symmetrical **Pole Quantity:** 2 each section rear **Throw Quantity:** 3 each section rear **Mounting Method:** Threaded bushing single mounting facility **Thread Size:** 0.375 inches single mounting facility **Contact Voltage Rating In Volts:** 15.0 dc at sea level **Switch Actuator Indexing Position Quantity:** 4 single actuator **Terminal Type:** Tab, solder lug **Contact Switching Action:** Makes before breaks, breaks before makes each section rear **Switch Actuator Positioning Increment:** 30.0 degrees single actuator **Contact Load Current Rating:** 2.0 amperes resistive load dc at sea level **Style Designator:** 

Circular wafer, bushing mount

**Thread Series Designator:** 

Unef single mounting facility

## NSN 5930-00-867-5696

Rotary Switch - Page 2 of 2



-					
•	he	1+	18	Δ	•

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A052b0