# NSN 5930-00-867-5696

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-867-5696

# **Thread Class:**

2a single mounting facility

# Thread Length:

0.375 inches single mounting facility

# **Overall Length:**

1.920 inches

## **Overall Height:**

1.500 inches

**Overall Width:** 

1.490 inches

Individual Section Quantity:

# 2

Nonturn Device Type:

Flatted bushing at 9: 00 o'clock

## **Operating Tempurature Range:**

# -55.0/+125.0 degrees celsius

# Switch Contact Basic Design:

Nonpile-up symmetrical

## **Pole Quantity:**

2 each section rear

# Throw Quantity:

3 each section rear

# Mounting Method:

Threaded bushing single mounting facility

#### **Thread Size:**

0.375 inches single mounting facility

## **Contact Voltage Rating In Volts:**

15.0 dc at sea level

## Switch Actuator Indexing Position Quantity:

4 single actuator

# **Terminal Type:**

Tab, solder lug

#### **Contact Switching Action:**

Makes before breaks, breaks before makes each section rear

## Switch Actuator Positioning Increment:

30.0 degrees single actuator

# **Contact Load Current Rating:**

2.0 amperes resistive load dc at sea level

### Style Designator:

Circular wafer, bushing mount

# **Thread Series Designator:**

Unef single mounting facility

# NSN 5930-00-867-5696

Rotary Switch - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A052b0

