NSN 5930-00-908-7606

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-908-7606

Overall Length:
2.594 inches
Overall Height:
4.000 inches
Overall Width:
4.000 inches
First Flat Length:
0.312 inches single actuator
Flat Height:
0.219 inches single actuator
Shaft Diameter:
0.250 inches single actuator
Shaft Length:
0.938 inches single actuator
Unthreaded Mounting Hole Diameter:
0.190 inches single mounting facility
Individual Section Quantity:
1
Longest Horizontal Distance Between Mounting Centers:
3.000 inches single mounting facility
Longest Vertical Distance Between Mounting Centers:
3.000 inches single mounting facility
Operating Tempurature Range:
-55.0/+85.0 degrees celsius
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
1 single section rear
Throw Quantity:
36 single section rear
Mounting Method:
Bracket single mounting facility
Thread Size:
0.190 inches single mounting facility
Contact Voltage Rating In Volts:
28.0 dc at sea level
Shaft Flat/slot Angular Location:
210.0 degrees from contact position 1 single actuator
Mounting Facility Pattern:
Four position rectangular single mounting facility

Switch Actuator Indexing Position Quantity: 36 single actuator

NSN 5930-00-908-7606Rotary Switch - Page 2 of 2



Shaft Type:
Round, flatted single actuator
Terminal Type:
Turret
Contact Switching Action:
Breaks before makes single section rear
Switch Actuator Positioning Increment:
10.0 degrees single actuator
Contact Load Current Rating:
2.0 amperes resistive load dc at sea level
Style Designator:
Tap, square frame
Thread Series Designator:
Unf single mounting facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A052b0