

View Online at <https://aerobasegroup.com/nsn/5930-00-913-2120>

**Hazardous Locations/environmental Protection:**

Dusttight and moisture proof

**Overall Length:**

10.391 inches

**Body Diameter:**

0.375 inches

**Body Length:**

9.531 inches

**Overall Diameter:**

2.188 inches

**Distance Between Mounting Facility Centers:**

1.688 inches

**Bulb Length:**

1.531 inches

**Bulb Diameter:**

0.375 inches

**End Application:**

Mc-7 air compressor 93234

**Temperature Sensing Element Type:**

Bulb

**Mounting Method:**

Bracket and threaded stud

**Thready Qty Per Inch (tpi):**

32 all threaded stud

**Contact Action Stimulus:**

Increase

**Thread Size:**

0.138 inches all threaded stud

**Mounting Facility Pattern:**

Two position in-line

**Nonpile-up Contact Arrangement:**

1 pole, single throw, normally open, momentary action

**Terminal Type:**

Clip

**Contact Load Current Rating:**

9.3 amperes inductive load single voltage

**Contact Adjustability:**

Deactuation point adjustable and actuation point adjustable

**Contact Adjustment Range:**

+100.00/+250.00 actuation point degrees fahrenheit and +100.00/+250.00 deactuation point degrees fahrenheit

**Contact Adjustment Type:**

External deactuation point pointer with scale and external actuation point pointer with scale

**Contact Voltage Rating In Volts:**

14.8 dc at sea level single voltage

**Media For Which Designed:**

Liquid

**Style Designator:**

Cylindrical w/flange

**Thread Series Designator:**

Unc all threaded stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A048b0