NSN 5930-00-916-7908

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-916-7908
Thread Class:
2b single mounting facility
Hazardous Locations/environmental Protection:
Explosion proof
Overall Length:
4.625 inches
Overall Height:
3.500 inches
Overall Width:
3.500 inches
Shaft Diameter:
0.375 inches single actuator
Shaft Length:
1.000 inches single actuator
Individual Section Quantity:
5
Knob Manufacturer Code:
82121
Knob Manufacturer Part Number:
A
Operating Tempurature Range:
-65.0/+125.0 degrees celsius
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
1 each section front
Throw Quantity:
2 each section front
Mounting Facility Circle Radius:
1.609 inches single mounting facility
Mounting Method:
Bracket single mounting facility and threaded hole single mounting facility
Features Provided:
Actuator knob
Thready Qty Per Inch (tpi):
32 single mounting facility
Thread Size:
0.138 inches single mounting facility
Contact Voltage Rating In Volts:

400.0 ac at sea level

Mounting Facility Pattern:

Four position circular single mounting facility

NSN 5930-00-916-7908Rotary Switch - Page 2 of 2



Switch Actuator Indexing Position Quantity:
4 single actuator
Shaft Type:
Round, square, threaded hole single actuator
Square Shaft Size:
0.250 inches single actuator
Terminal Type:
Tab w/screw
Contact Switching Action:
Breaks before makes each section front
Switch Actuator Positioning Increment:
90.0 degrees single actuator
Contact Load Current Rating:
30.0 amperes resistive load dc at sea level
Special Features:
Reciprocating action contacts
Style Designator:
Tap, circuit selector
Thread Series Designator:
Unc single mounting facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A052b0