# NSN 5930-00-917-7770

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-917-7770

### **Thread Class:**

2b single mounting facility

### **Hazardous Locations/environmental Protection:**

Shock resistant and vibration resistant

**Overall Length:** 

2.438 inches

**Overall Height:** 

2.266 inches

**Overall Width:** 

2.266 inches

### First Flat Length:

0.406 inches single actuator

#### Flat Height:

0.186 inches single actuator

## **Shaft Diameter:**

0.249 inches single actuator and 0.251 inches single actuator

## **Shaft Length:**

0.907 inches single actuator and 0.969 inches single actuator

# **Individual Section Quantity:**

1

# **Longest Horizontal Distance Between Mounting Centers:**

1.500 inches single mounting facility

## **Shortest Horizontal Distance Between Mounting Centers:**

0.750 inches single mounting facility

# **Longest Vertical Distance Between Mounting Centers:**

0.750 inches single mounting facility

# **Operating Tempurature Range:**

-40.0/+95.0 degrees celsius

#### **Switch Contact Basic Design:**

Nonpile-up symmetrical

## **Pole Quantity:**

4 single section rear

# **Throw Quantity:**

7 single section rear

# **Mounting Method:**

Bracket single mounting facility and threaded hole single mounting facility

# Thready Qty Per Inch (tpi):

32 single mounting facility

# **Thread Size:**

0.164 inches single mounting facility

## **Contact Voltage Rating In Volts:**

28.0 dc at sea level

# **NSN 5930-00-917-7770**Rotary Switch - Page 2 of 2



Mounting Facility Pattern:
Isosceles triangle single mounting facility
Switch Actuator Indexing Position Quantity:
7 single actuator
Shaft Type:
Round, flatted single actuator
Terminal Type:
Turret
Contact Switching Action:
Breaks before makes single section rear
Switch Actuator Positioning Increment:
22.5 degrees single actuator
Switch Actuator Stop Device Type:
Fixed stop single actuator
Contact Load Current Rating:
1.0 amperes resistive load dc at sea level
Style Designator:
Tap, square frame
Thread Series Designator:
Unc single mounting facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A052b0