NSN 5930-00-918-8045

Rotary Switch - Page 1 of 2

0.375 inches single mounting facility

Thread Length:



View Online at https://aerobasegroup.com/nsn/5930-00-918-8045

Overall Length:
3.438 inches
Overall Height:
1.875 inches
Overall Width:
1.625 inches
First Flat Length:
0.375 inches single actuator
Flat Height:
0.219 inches single actuator
Shaft Diameter:
0.250 inches single actuator
Shaft Length:
1.500 inches single actuator
Individual Section Quantity:
4
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
1 4th section rear
Mounting Method:
Mounting Method: Threaded bushing single mounting facility
-
Threaded bushing single mounting facility
Threaded bushing single mounting facility Thread Size:
Threaded bushing single mounting facility Thread Size: 0.375 inches single mounting facility
Threaded bushing single mounting facility Thread Size: 0.375 inches single mounting facility Contact Voltage Rating In Volts:
Threaded bushing single mounting facility Thread Size: 0.375 inches single mounting facility Contact Voltage Rating In Volts: 115.0 dc at sea level
Threaded bushing single mounting facility Thread Size: 0.375 inches single mounting facility Contact Voltage Rating In Volts: 115.0 dc at sea level Rotor Through Connection Quantity:
Threaded bushing single mounting facility Thread Size: 0.375 inches single mounting facility Contact Voltage Rating In Volts: 115.0 dc at sea level Rotor Through Connection Quantity: 1 1st section
Threaded bushing single mounting facility Thread Size: 0.375 inches single mounting facility Contact Voltage Rating In Volts: 115.0 dc at sea level Rotor Through Connection Quantity: 1 1st section Switch Actuator Indexing Position Quantity:
Threaded bushing single mounting facility Thread Size: 0.375 inches single mounting facility Contact Voltage Rating In Volts: 115.0 dc at sea level Rotor Through Connection Quantity: 1 1st section Switch Actuator Indexing Position Quantity: 12 single actuator
Threaded bushing single mounting facility Thread Size: 0.375 inches single mounting facility Contact Voltage Rating In Volts: 115.0 dc at sea level Rotor Through Connection Quantity: 1 1st section Switch Actuator Indexing Position Quantity: 12 single actuator Shaft Type:
Threaded bushing single mounting facility Thread Size: 0.375 inches single mounting facility Contact Voltage Rating In Volts: 115.0 dc at sea level Rotor Through Connection Quantity: 1 1st section Switch Actuator Indexing Position Quantity: 12 single actuator Shaft Type: Round, flatted single actuator
Threaded bushing single mounting facility Thread Size: 0.375 inches single mounting facility Contact Voltage Rating In Volts: 115.0 dc at sea level Rotor Through Connection Quantity: 1 1st section Switch Actuator Indexing Position Quantity: 12 single actuator Shaft Type: Round, flatted single actuator Terminal Type:
Threaded bushing single mounting facility Thread Size: 0.375 inches single mounting facility Contact Voltage Rating In Volts: 115.0 dc at sea level Rotor Through Connection Quantity: 1 1st section Switch Actuator Indexing Position Quantity: 12 single actuator Shaft Type: Round, flatted single actuator Terminal Type: Tab, solder lug
Threaded bushing single mounting facility Thread Size: 0.375 inches single mounting facility Contact Voltage Rating In Volts: 115.0 dc at sea level Rotor Through Connection Quantity: 1 1st section Switch Actuator Indexing Position Quantity: 12 single actuator Shaft Type: Round, flatted single actuator Terminal Type: Tab, solder lug Contact Switching Action:
Threaded bushing single mounting facility Thread Size: 0.375 inches single mounting facility Contact Voltage Rating In Volts: 115.0 dc at sea level Rotor Through Connection Quantity: 1 1st section Switch Actuator Indexing Position Quantity: 12 single actuator Shaft Type: Round, flatted single actuator Terminal Type: Tab, solder lug Contact Switching Action: Makes before breaks 4th section rear
Threaded bushing single mounting facility Thread Size: 0.375 inches single mounting facility Contact Voltage Rating In Volts: 115.0 dc at sea level Rotor Through Connection Quantity: 1 1st section Switch Actuator Indexing Position Quantity: 12 single actuator Shaft Type: Round, flatted single actuator Terminal Type: Tab, solder lug Contact Switching Action: Makes before breaks 4th section rear Switch Actuator Positioning Increment:

NSN 5930-00-918-8045

Rotary Switch - Page 2 of 2



Special Features:
Insulated stationary contact quantity-3 contacts first section
Style Designator:

Circular wafer, bushing mount

Thread Series Designator:

Unef single mounting facility

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A052b0