NSN 5930-00-919-9962

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-919-9962 **Thread Class:** 2a single mounting facility Thread Length: 0.375 inches single mounting facility **Overall Length:** 2.500 inches **Overall Height:** 1.500 inches **Overall Width:** 1.313 inches **Shaft Diameter:** 0.250 inches single actuator **Shaft Length:** 0.375 inches single actuator **Nonturn Device Radius:** 0.438 inches at 9: 00 o'clock **Individual Section Quantity:** 4 **Nonturn Device Type:** Tab at 9: 00 o'clock **Switch Contact Basic Design:** Nonpile-up symmetrical **Pole Quantity:** 2 each section front **Throw Quantity:** 5 each section front **Mounting Method:** Threaded bushing single mounting facility **Thread Size:** 0.375 inches single mounting facility **Contact Voltage Rating In Volts:** 28.0 dc at sea level **Switch Actuator Indexing Position Quantity:** 5 single actuator **Shaft Type:** Round single actuator **Terminal Type:** Clip **Contact Switching Action:** Breaks before makes each section front **Switch Actuator Positioning Increment:**

30.0 degrees single actuator

NSN 5930-00-919-9962

Rotary Switch - Page 2 of 2



Switch Actuator Stop Device Type: Fixed stop single actuator Contact Load Current Rating: 1.5 amperes resistive load dc at sea level Precious Material And Location: Clips and rotor blade surfaces silver Precious Material: Silver Style Designator: Circular wafer, bushing mount Thread Series Designator: Unef single mounting facility

Demilitarization:

Unit Of Measure:

Shelf Life:

No

N/a

Fiig:

A052b0