# NSN 5930-00-920-5798

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-920-5798

# Thread Class:

2a single mounting facility

# Thread Length:

0.406 inches single mounting facility

# **Overall Length:**

3.281 inches

#### Shaft Diameter:

0.250 inches single actuator

#### Shaft Length:

2.406 inches single actuator

#### **Overall Diameter:**

1.250 inches

#### **Nonturn Device Radius:**

0.531 inches at 3: 00 o'clock

### Individual Section Quantity:

1

#### Nonturn Device Type:

Tab at 3: 00 o'clock

### **Operating Tempurature Range:**

-65.0/+85.0 degrees celsius

# Switch Contact Basic Design:

Nonpile-up nonsymmetrical

#### **Mounting Method:**

Threaded bushing single mounting facility

#### **Thread Size:**

0.375 inches single mounting facility

#### **Contact Voltage Rating In Volts:**

28.0 dc at sea level

# Switch Actuator Indexing Position Quantity:

2 single actuator

#### Shaft Type:

Round, breakoff single actuator

#### **Terminal Type:**

Tab, solder lug

#### **Switch Actuator Positioning Increment:**

30.0 degrees single actuator

# Switch Actuator Stop Device Type:

Adjustable stop single actuator

#### **Contact Load Current Rating:**

500.0 milliamperes resistive load ac at sea level

## Style Designator:

Circular wafer, bushing mount

# NSN 5930-00-920-5798

Rotary Switch - Page 2 of 2

**Thread Series Designator:** 

Unef single mounting facility

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A052b0

