NSN 5930-00-927-1539

Pressure Switch - Page 1 of 2

Thread Class:
3b all threaded hole
Inside Diameter:

Overall Length: 7.688 inches Overall Height: 3.812 inches Body Diameter:

0.250 inches all connections

Media For Which Designed:

Gas or liquid



View Online at https://aerobasegroup.com/nsn/5930-00-927-1539

6.438 inches
Pressure Switch Type:
Differential
Mounting Facility Circle Radius:
2.781 inches
Operating Tempurature Rating:
Between -67.0 degrees fahrenheit and 212.0 degrees fahrenheit
Mounting Method:
Threaded hole
Thready Qty Per Inch (tpi):
20 all threaded hole
Thread Size:
0.250 inches all threaded hole
Mounting Facility Pattern:
Three position circular
Nonpile-up Contact Arrangement:
1 pole, double throw, one position momentary
Terminal Type:
Connector, receptacle
Contact Load Current Rating:
1.0 amperes resistive load single voltage and 0.5 amperes inductive load single voltage
Contact Adjustability:
Deactuation point adjustable and actuation point adjustable
Contact Adjustment Range:
+0.45/+45.00 actuation point inches of water and +0.45/+45.00 deactuation point inches of water
Contact Voltage Rating In Volts:
30.0 dc at sea level single voltage
Pressure Connector Type:
Plain, threaded internal all connections
Special Features:
Contact action occurs as the result of an increase or decrease in stimulus

NSN 5930-00-927-1539

Pressure Switch - Page 2 of 2



Style	Designator:
- ,	3

Cylindrical

Thread Series Designator:

Unc all threaded hole

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0