## NSN 5930-00-929-7406

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-929-7406

Hazardous Locations/environmental Protection:
Vaportight, gastight
Overall Length:
1.250 inches
Overall Height:
0.500 inches
Overall Width:
0.640 inches
Body Diameter:
0.640 inches
Body Height:
0.395 inches
Distance Between Mounting Facility Centers:
Between 0.930 inches and 0.944 inches
Tempurature Sensing Element Type:
Internal sensor
Mounting Method:
Bracket
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
500.0 milliamperes resistive load second voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
150.00 actuation point degrees fahrenheit and 130.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
30.0 dc at sea level second voltage
Frequency In Hertz:
60.0 single voltage
Media For Which Designed:
Gas or liquid
Style Designator:
Disc w/flange
Shelf Life:
N/a

## NSN 5930-00-929-7406

Thermostatic Switch - Page 2 of 2



		• •			
ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A048b0