

View Online at <https://aerobasegroup.com/nsn/5930-00-930-5016>

**Body Style:**

Hole mount

**Body Diameter:**

2.690 inches

**Body Height:**

1.540 inches

**Unthreaded Mounting Hole Diameter:**

Between 0.255 inches and 0.275 inches

**Center To Center Distance Between Mounting Facilities Parallel To Diameter:**

1.765 inches

**Actuator Length:**

2.500 inches

**Actuator Style:**

Rectangular

**Actuator Height:**

Between 1.900 inches and 2.350 inches

**Actuator Width:**

1.250 inches

**Actuator Inscription:**

Pull-turn single actuator

**Maximum Voltage Rating In Volts:**

28.0 dc

**Inclosure Type:**

Fully enclosed

**Mounting Method:**

Unthreaded hole

**Nonpile-up Contact Arrangement:**

1 pole, single throw, normally closed, double break, momentary action single switch unit

**Contact Load Current Rating At Maximum Rated Voltage:**

300.000 amperes resistive dc and 150.000 amperes inductive dc

**Precious Material And Location:**

Contacts silver

**Test Data Document:**

81349-mil-s-13625 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Terminal Type And Quantity:**

2 threaded stud

**Specification Data:**

81349-mil-s-13625/2 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A053a0