## NSN 5930-00-931-7320

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-931-7320 **Thread Class:** 2b single mounting facility **Overall Length:** 2.218 inches **Overall Height:** 1.750 inches **Overall Width:** 1.750 inches **Shaft Diameter:** 0.250 inches single actuator **Shaft Length:** 1.000 inches single actuator **Distance Between Mounting Facility Centers:** 1.375 inches single mounting facility **Individual Section Quantity: Switch Contact Basic Design:** Nonpile-up symmetrical **Pole Quantity:** 4 single section front **Throw Quantity:** 4 single section front **Mounting Method:** Bracket single mounting facility and threaded hole single mounting facility Thready Qty Per Inch (tpi): 32 single mounting facility **Thread Size:** 0.139 inches single mounting facility **Contact Voltage Rating In Volts:** 125.0 ac at sea level **Mounting Facility Pattern:** Two position in-line single mounting facility **Switch Actuator Indexing Position Quantity:** 4 single actuator **Shaft Type:** Round single actuator **Terminal Type:** Tab, solder lug **Contact Switching Action:** Breaks before makes single section front **Switch Actuator Positioning Increment:** 

22.5 degrees single actuator

## NSN 5930-00-931-7320

Rotary Switch - Page 2 of 2

No Fiig: A052b0



Switch Actuator Stop Device Type:
Adjustable stop single actuator
Contact Load Current Rating:
2.0 amperes resistive load ac at sea level
Precious Material And Location:
Wiper arm, contact and collector ring silver and wiper arm, contact and collector ring surfaces gold
Precious Material:
Silver and gold
Style Designator:
Tap, square frame
Thread Series Designator:
Unc single mounting facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization: