NSN 5930-00-931-7323

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-931-7323

## **Thread Class:**

2b single mounting facility

## **Overall Length:**

2.187 inches

## **Overall Height:**

1.750 inches

## **Overall Width:**

1.750 inches

#### Shaft Diameter:

0.250 inches single actuator

#### Shaft Length:

1.000 inches single actuator

#### **Distance Between Mounting Facility Centers:**

1.375 inches single mounting facility

## Individual Section Quantity:

1

## Switch Contact Basic Design:

Nonpile-up symmetrical

## **Pole Quantity:**

4 single section rear

## Throw Quantity:

4 single section rear

#### Mounting Method:

Bracket single mounting facility and threaded hole single mounting facility

## Thready Qty Per Inch (tpi):

32 single mounting facility

## Thread Size:

0.138 inches single mounting facility

## **Contact Voltage Rating In Volts:**

125.0 ac at sea level

## Mounting Facility Pattern:

Two position in-line single mounting facility

## Switch Actuator Indexing Position Quantity:

4 single actuator

## Shaft Type:

Round single actuator

## **Terminal Type:**

Tab, solder lug

#### **Contact Switching Action:**

Makes before breaks single section rear

## Switch Actuator Positioning Increment:

22.5 degrees single actuator

# NSN 5930-00-931-7323

Rotary Switch - Page 2 of 2



## Switch Actuator Stop Device Type:

Adjustable stop single actuator

## **Contact Load Current Rating:**

2.0 amperes resistive load ac at sea level

## **Precious Material And Location:**

Contacts and collector ring silver and contact and collector ring surfaces gold

## Precious Material:

Silver and gold

## Style Designator:

Tap, square frame

## Thread Series Designator:

Unc single mounting facility

Shelf Life:

N/a

### Unit Of Measure:

---

## Demilitarization:

No

## Fiig:

A052b0