NSN 5930-00-931-9703

Thermostatic Switch - Page 1 of 2

60.0 first voltage



View Online at https://aerobasegroup.com/nsn/5930-00-931-9703

Overall Lengtn:
1.250 inches
Overall Height:
0.562 inches
Overall Width:
0.401 inches
Body Length:
0.776 inches
Body Width:
0.401 inches
Body Height:
0.251 inches
Unthreaded Mounting Hole Diameter:
0.156 inches
Distance Between Mounting Facility Centers:
1.000 inches
Tempurature Sensing Element Type:
Internal sensor
Operating Tempurature Rating:
204.0 degrees celsius and -54.0 degrees celsius
Mounting Method:
Bracket and unthreaded hole
Features Provided:
Hermetically sealed case
Contact Action Stimulus:
Decrease
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
2.5 amperes resistive load first voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
5.00 differential point degrees fahrenheit and 158.00 actuation point degrees fahrenheit and 15.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
50.0 dc at sea level second voltage
Frequency In Hertz:

NSN 5930-00-931-9703

Thermostatic Switch - Page 2 of 2



Media	For W	hich	Desi	gned	l
Gas or	liquid				

Style Designator:

Rectangular w/bracket

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0