## NSN 5930-00-951-2652

Liquid Level Switch - Page 1 of 2

Overall Length: 24.000 inches

60.000 inches

**Power Cable Length:** 



View Online at https://aerobasegroup.com/nsn/5930-00-951-2652

Ac Voltage Rating:
230.000 volts
Frequency Rating:
60.000 hertz
Overall Diameter:
2.000 inches
Actuation Method:
Buoyancy
Electrical Connection Type:
Cable
Internal Battery Accommodation:
Not included
Current Rating At Maximum Rated Voltage:
10.0 amperes resistive load and 5.0 amperes resistive load
Float Quantity:
2
Operating Tempurature Rating:
Between -65.0 degrees fahrenheit and 125.0 degrees fahrenheit
Mounting Method:
Thread
Mounting Position:
Vertical to 45 degrees angle mtg position
Contact Arrangement:
Spst, normally open
Relay:
Not included
Liquid Type For Which Designed:
Lubricating oil
Float Effective Travel:
0.250 inches
Mounting Dimensions:
Mtd by 2 in. Npt thd connection
Tank Insertion Length:
23.000 inches
Phase:
Single
Special Features:
Float is reversible on stem to select normally open or normally closed position

## NSN 5930-00-951-2652

Liquid Level Switch - Page 2 of 2



Fsc Application Data	Fsc	Ap	plic	atio	n D	ata
----------------------	-----	----	------	------	-----	-----

Switch, float, liquid level, except engine

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

T109-d