

View Online at <https://aerobasegroup.com/nsn/5930-00-951-3705>

Overall Length:

1.062 inches

Overall Height:

0.626 inches

Body Diameter:

0.609 inches

Mounting Slot Width:

Between 0.115 inches and 0.125 inches

Body Height:

Between 0.290 inches and 0.320 inches

Distance Between Mounting Facility Centers:

0.875 inches

Tempurature Sensing Element Type:

Disc

Operating Tempurature Rating:

Between -100.0 degrees fahrenheit and 300.0 degrees fahrenheit

Mounting Method:

Bracket and slot

Features Provided:

Hermetically sealed case

Contact Action Stimulus:

Increase

Mounting Facility Pattern:

Two position in-line

Nonpile-up Contact Arrangement:

1 pole, single throw, normally closed, momentary action

Terminal Type:

Tab, solder lug

Contact Load Current Rating:

4.0 amperes resistive load second voltage

Contact Adjustability:

Deactuation point not adjustable and actuation point not adjustable

Contact Stimulus Rating:

100.00 actuation point degrees fahrenheit and 110.00 actuation point degrees fahrenheit and 83.00 deactuation point degrees fahrenheit and 97.00 deactuation point degrees fahrenheit

Contact Voltage Rating In Volts:

28.0 dc at sea level second voltage

Media For Which Designed:

Gas or liquid

Style Designator:

Disc w/flange

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0