

View Online at <https://aerobasegroup.com/nsn/5930-00-956-8915>

Hazardous Locations/environmental Protection:

Watertight and weatherproof

Overall Length:

9.250 inches

Overall Height:

3.375 inches

Overall Width:

3.375 inches

Longest Horizontal Distance Between Mounting Centers:

1.000 inches

Shortest Horizontal Distance Between Mounting Centers:

0.500 inches

Longest Vertical Distance Between Mounting Centers:

1.250 inches

Temperature Sensing Element Type:

Immersion well

Mounting Method:

Bracket and unthreaded hole

Features Provided:

Electrical access port

Mounting Facility Pattern:

Isosceles triangle

Nonpile-up Contact Arrangement:

1 pole, double throw, both positions maintained

Terminal Type:

Tab w/screw

Contact Load Current Rating:

900.0 milliamperes resistive load fourth voltage

Contact Adjustability:

Actuation point adjustable, preset

Contact Adjustment Range:

+90.00/+250.00 actuation point degrees fahrenheit

Contact Stimulus Rating:

190.00 actuation point degrees fahrenheit

Contact Voltage Rating In Volts:

460.0 ac at sea level first voltage

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0