NSN 5930-00-964-4420

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-964-4420 **Thread Class:** 2a single mounting facility **Overall Length:** Between 4.660 inches and 4.840 inches **Overall Height:** 3.400 inches **Overall Width:** 4.550 inches **Shaft Diameter:** 0.250 inches single actuator **Shaft Length:** 0.249 inches single actuator and 0.251 inches single actuator **Distance Between Mounting Facility Centers:** 1.500 inches single mounting facility **Individual Section Quantity: Operating Tempurature Range:** -55.0/+85.0 degrees celsius **Switch Contact Basic Design:** Nonpile-up symmetrical **Pole Quantity:** 1 each section front **Throw Quantity:** 24 each section front **Mounting Method:** Bracket single mounting facility and threaded hole single mounting facility Thready Qty Per Inch (tpi): 32 single mounting facility **Thread Size:** 0.164 inches single mounting facility **Contact Voltage Rating In Volts:** 28.0 dc at sea level **Mounting Facility Pattern:** Two position in-line single mounting facility **Switch Actuator Indexing Position Quantity:** 24 single actuator **Shaft Type:** Round single actuator **Terminal Type:** Connector, receptacle

Contact Switching Action:

Breaks before makes each section front

NSN 5930-00-964-4420

Rotary Switch - Page 2 of 2



Switch Actuator Positioning Increment:

15.0 degrees single actuator

Detent Rotational Torque Range:

+1.500/+9.000 inch-pounds single actuator

Contact Load Current Rating:

2.0 amperes resistive load dc at sea level

Style Designator:

Tap, square frame

Thread Series Designator:

Unc single mounting facility

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A052b0