## NSN 5930-00-969-2605

Pressure Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-969-2605

Thr	ead	l en	ath:

0.372 inches single pressure connection and 0.410 inches single pressure connection

**Overall Length:** 

3.000 inches

**Outside Diameter:** 

0.125 inches single connection

**Body Length:** 

2.062 inches

**Overall Diameter:** 

1.390 inches

**Pressure Switch Type:** 

Gage

**Operating Tempurature Rating:** 

Between -65.0 degrees fahrenheit and 250.0 degrees fahrenheit

**Mounting Method:** 

Inlet connection

Thready Qty Per Inch (tpi):

27 single pressure connection

**Contact Action Stimulus:** 

Increase

**Proof Pressure:** 

750.00 pounds per square inch

**Thread Size:** 

0.125 inches single pressure connection

**Nonpile-up Contact Arrangement:** 

1 pole, double throw, both positions maintained

**Sensing Element Burst Pressure:** 

1500.00 pounds per square inch

**Terminal Type:** 

Tab, solder lug

**Contact Load Current Rating:** 

5.0 amperes resistive load single voltage

**Contact Adjustability:** 

Deactuation point not adjustable and actuation point not adjustable

**Contact Stimulus Rating:** 

14.50 actuation point pounds per square inch gage and 2.00 differential point pounds per square inch gage

**Contact Voltage Rating In Volts:** 

250.0 ac at sea level single voltage

**Pressure Connector Type:** 

Plain, threaded external single connection

Frequency In Hertz:

60.0 single voltage

## NSN 5930-00-969-2605

Pressure Switch - Page 2 of 2



Media For Which Designed:
Gas or liquid
Style Designator:
Cylindrical
Thread Series Designator:
Npt single pressure connection
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A048b0