## NSN 5930-00-970-1855

Pressure Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-970-1855
Overall Length:
3.688 inches
Overall Height:
2.688 inches
Overall Width:
1.500 inches
Unthreaded Mounting Hole Diameter:
0.210 inches
Distance Between Mounting Facility Centers:
1.125 inches
Pressure Switch Type:
Gage
Operating Tempurature Rating:
Between -65.0 degrees fahrenheit and 250.0 degrees fahrenheit
Mounting Method:
Base and unthreaded hole
Features Provided:
Electrical access port
Thready Qty Per Inch (tpi):
20 single pressure connection
Contact Action Stimulus:
Increase
Proof Pressure:
4500.00 pounds per square inch
Thread Size:
0.4375 inches single pressure connection
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Sensing Element Burst Pressure:
7500.00 pounds per square inch
Terminal Type:
Solder stud
Contact Load Current Rating:
5.0 amperes resistive load single voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
2700.00 actuation point pounds per square inch and 1200.00 deactuation point pounds per square inch and 1500.00 differential point
pounds per square inch

**Contact Voltage Rating In Volts:** 

27.0 dc at sea level single voltage

## NSN 5930-00-970-1855

Pressure Switch - Page 2 of 2



Pressure Connector Type:
Plain, threaded internal single connection
Media For Which Designed:
Gas
Style Designator:
Rectangular
Thread Series Designator:
Unf single pressure connection
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A048b0