NSN 5930-00-973-8553

Rotary Switch - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5930-00-973-8553

Overall Length:
5.160 inches
Overall Height:
1.750 inches
Overall Width:
2.065 inches
Shaft Diameter:
0.250 inches single actuator
Shaft Length:
1.500 inches single actuator
Individual Section Quantity:
5
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
1 each section front
Throw Quantity:
12 each section front
Contact Voltage Rating In Volts:
28.0 dc at sea level
Switch Actuator Indexing Position Quantity:
Switch Actuator Indexing Position Quantity: 12 single actuator
-
12 single actuator
12 single actuator Shaft Type:
12 single actuator Shaft Type: Round single actuator
12 single actuator Shaft Type: Round single actuator Terminal Type:
12 single actuator Shaft Type: Round single actuator Terminal Type: Tab, solder lug
12 single actuator Shaft Type: Round single actuator Terminal Type: Tab, solder lug Contact Switching Action:
12 single actuator Shaft Type: Round single actuator Terminal Type: Tab, solder lug Contact Switching Action: Breaks before makes each section front
12 single actuator Shaft Type: Round single actuator Terminal Type: Tab, solder lug Contact Switching Action: Breaks before makes each section front Switch Actuator Positioning Increment:
12 single actuator Shaft Type: Round single actuator Terminal Type: Tab, solder lug Contact Switching Action: Breaks before makes each section front Switch Actuator Positioning Increment: 30.0 degrees single actuator
12 single actuator Shaft Type: Round single actuator Terminal Type: Tab, solder lug Contact Switching Action: Breaks before makes each section front Switch Actuator Positioning Increment: 30.0 degrees single actuator Contact Load Current Rating:
12 single actuator Shaft Type: Round single actuator Terminal Type: Tab, solder lug Contact Switching Action: Breaks before makes each section front Switch Actuator Positioning Increment: 30.0 degrees single actuator Contact Load Current Rating: 3.2 amperes resistive load dc at sea level
12 single actuator Shaft Type: Round single actuator Terminal Type: Tab, solder lug Contact Switching Action: Breaks before makes each section front Switch Actuator Positioning Increment: 30.0 degrees single actuator Contact Load Current Rating: 3.2 amperes resistive load dc at sea level Shelf Life:
12 single actuator Shaft Type: Round single actuator Terminal Type: Tab, solder lug Contact Switching Action: Breaks before makes each section front Switch Actuator Positioning Increment: 30.0 degrees single actuator Contact Load Current Rating: 3.2 amperes resistive load dc at sea level Shelf Life: N/a
12 single actuator Shaft Type: Round single actuator Terminal Type: Tab, solder lug Contact Switching Action: Breaks before makes each section front Switch Actuator Positioning Increment: 30.0 degrees single actuator Contact Load Current Rating: 3.2 amperes resistive load dc at sea level Shelf Life: N/a
12 single actuator Shaft Type: Round single actuator Terminal Type: Tab, solder lug Contact Switching Action: Breaks before makes each section front Switch Actuator Positioning Increment: 30.0 degrees single actuator Contact Load Current Rating: 3.2 amperes resistive load dc at sea level Shelf Life: N/a Unit Of Measure:
12 single actuator Shaft Type: Round single actuator Terminal Type: Tab, solder lug Contact Switching Action: Breaks before makes each section front Switch Actuator Positioning Increment: 30.0 degrees single actuator Contact Load Current Rating: 3.2 amperes resistive load dc at sea level Shelf Life: N/a Unit Of Measure: Demilitarization: