## NSN 5930-00-980-1984

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-980-1984

## **Thread Class:**

2a single mounting facility

## Thread Length:

0.375 inches single mounting facility

## **Overall Length:**

2.953 inches

#### Shaft Diameter:

0.250 inches single actuator

#### Shaft Length:

0.500 inches single actuator

## **Nonturn Device Radius:**

0.594 inches at 9: 00 o'clock

## Individual Section Quantity:

6

## Nonturn Device Type:

Tab at 9: 00 o'clock

## Switch Contact Basic Design:

Nonpile-up nonsymmetrical

## **Mounting Method:**

Threaded bushing single mounting facility

## Thread Size:

0.375 inches single mounting facility

## **Contact Voltage Rating In Volts:**

125.0 ac at sea level

## Switch Actuator Indexing Position Quantity:

3 single actuator

## Shaft Type:

Round single actuator

## **Terminal Type:**

Tab, solder lug

## Switch Actuator Positioning Increment:

30.0 degrees single actuator

## Switch Actuator Stop Device Type:

Fixed stop single actuator

## **Contact Load Current Rating:**

750.0 milliamperes resistive load ac at sea level

## Style Designator:

Circular wafer, bushing mount

## **Thread Series Designator:**

Unef single mounting facility

## Shelf Life:

N/a

# NSN 5930-00-980-1984

Rotary Switch - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A052b0

