

View Online at <https://aerobasegroup.com/nsn/5930-00-990-7469>

Overall Length:

1.400 inches

Overall Height:

0.300 inches

Body Diameter:

0.660 inches

Mounting Slot Width:

0.156 inches

Body Height:

0.300 inches

Distance Between Mounting Facility Centers:

Between 0.937 inches and 0.999 inches

Tempurature Sensing Element Type:

Internal sensor

Operating Tempurature Rating:

Between -65.0 degrees fahrenheit and 270.0 degrees fahrenheit

Mounting Method:

Bracket and slot

Features Provided:

Tamper proof cap

Contact Action Stimulus:

Increase

Mounting Facility Pattern:

Two position in-line

Nonpile-up Contact Arrangement:

1 pole, single throw, normally closed, momentary action

Terminal Type:

Tab, solder lug

Contact Load Current Rating:

1.0 amperes resistive load first voltage

Contact Adjustability:

Deactuation point not adjustable and actuation point not adjustable

Contact Stimulus Rating:

154.00 actuation point degrees fahrenheit and 154.00 deactuation point degrees fahrenheit and 149.00 deactuation point degrees fahrenheit and 5.00 differential point degrees fahrenheit and 9.00 differential point degrees fahrenheit

Contact Voltage Rating In Volts:

30.0 dc at sea level third voltage

Frequency In Hertz:

60.0 second voltage

Media For Which Designed:

Gas

Style Designator:

Disc w/flange

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0