## NSN 5930-01-009-5690

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-009-5690

View Online at https://aerobasegroup.com/nsn/5930-
Hazardous Locations/environmental Protection:
Explosion proof
Overall Length:
Between 4.510 inches and 4.750 inches
Overall Diameter:
2.220 inches
Individual Section Quantity:
1
Operating Tempurature Range:
-65.0/+125.0 degrees celsius
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
1 single section front
Throw Quantity:
4 single section rear
Features Provided:
Actuator knob and metallic inclosure
Contact Voltage Rating In Volts:
28.0 dc at sea level
Rotor Through Connection Quantity:
1 single section
Switch Actuator Indexing Position Quantity:
4 single actuator
Terminal Type:
Connector, receptacle
Contact Switching Action:
Breaks before makes single section rear
Switch Actuator Positioning Increment:
45.0 degrees single actuator
Detent Rotational Torque Range:
+1.000/+3.000 inch-pounds single actuator
Contact Load Current Rating:
500.0 milliamperes resistive load dc at sea level
Special Features:
Case marked knob end 0 1 2 3 level sim tgt
Style Designator:
Tap, circular, bushing mount
Shelf Life:
N/a

--

**Unit Of Measure:** 

## NSN 5930-01-009-5690

Rotary Switch - Page 2 of 2



Demilitarization:

No

Fiig:

A052b0