## NSN 5930-01-011-6582

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-011-6582

**Thread Class:** 

2a single mounting facility

Thread Length:

0.375 inches single mounting facility

**Overall Length:** 

1.750 inches

**Overall Height:** 

1.875 inches

**Overall Width:** 

1.625 inches

First Flat Length:

0.312 inches single actuator

Flat Height:

0.218 inches single actuator

**Shaft Diameter:** 

0.250 inches single actuator

**Shaft Length:** 

0.375 inches single actuator

**Overall Diameter:** 

1.875 inches

**Individual Section Quantity:** 

1

**Operating Tempurature Range:** 

-25.0/+85.0 degrees celsius

**Switch Contact Basic Design:** 

Nonpile-up nonsymmetrical

**Pole Quantity:** 

1 single section rear

**Throw Quantity:** 

4 single section rear

**Mounting Method:** 

Threaded bushing single mounting facility

**Thread Size:** 

0.375 inches single mounting facility

**Contact Voltage Rating In Volts:** 

28.0 dc at sea level

**Shaft Flat/slot Angular Location:** 

180.0 degrees from contact position 1 single actuator

**Switch Actuator Indexing Position Quantity:** 

4 single actuator

**Shaft Type:** 

Round, flatted single actuator

## NSN 5930-01-011-6582

Rotary Switch - Page 2 of 2



Terminal Type:
Tab, solder lug
Contact Switching Action:
Breaks before makes single section rear
Switch Actuator Positioning Increment:
90.0 degrees single actuator
Contact Load Current Rating:
1.0 amperes resistive load ac at sea level
Style Designator:
Circular wafer, bushing mount
Thread Series Designator:
Unef single mounting facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A052b0