NSN 5930-01-012-5608

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-012-5608

Hazardous Locations/environmental Protection:
Watertight
Overall Length:
2.750 inches
Overall Height:
7.906 inches
Overall Width:
2.375 inches
Body Height:
4.531 inches
Tempurature Sensing Element Type:
Immersion well
Operating Tempurature Rating:
Between -100.0 degrees fahrenheit and 400.0 degrees fahrenheit
Mounting Method:
Threaded bushing
Features Provided:
Electrical access port and tamper proof cap
Thready Qty Per Inch (tpi):
14 single threaded bushing
Contact Action Stimulus:
Increase
Thread Size:
0.500 inches single threaded bushing
Nonpile-up Contact Arrangement:
1 pole, double throw, one position momentary
Terminal Type:
Screw
Contact Load Current Rating:
10.0 amperes resistive load second voltage
Contact Adjustability:
Deactuation point adjustable and actuation point adjustable
Contact Adjustment Range:
+100.00/+350.00 actuation point degrees fahrenheit and +100.00/+350.00 deactuation point degrees fahrenheit
Contact Adjustment Type:
External deactuation point screw and external actuation point screw
Contact Voltage Rating In Volts:
480.0 ac at sea level first voltage
Media For Which Designed:
Gas or liquid
Style Designator:
Rectangular

NSN 5930-01-012-5608

Thermostatic Switch - Page 2 of 2



Thread Series Designator:

Npt single threaded bushing

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A048b0