## NSN 5930-01-021-6316

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-021-6316

Thread Length:

0.375 inches single mounting facility

**Overall Length:** 

3.660 inches

First Flat Length:

0.250 inches single actuator

Flat Height:

0.210 inches single actuator

**Shaft Diameter:** 

0.250 inches single actuator

**Shaft Length:** 

0.375 inches single actuator

**Overall Diameter:** 

2.000 inches

**Individual Section Quantity:** 

\_

**Operating Tempurature Range:** 

-65.0/+125.0 degrees fahrenheit

**Switch Contact Basic Design:** 

Nonpile-up symmetrical

**Pole Quantity:** 

1 each section front

**Throw Quantity:** 

24 each section front

**Mounting Method:** 

Threaded bushing single mounting facility

Thready Qty Per Inch (tpi):

32 single mounting facility

**Thread Size:** 

0.469 inches single mounting facility

**Contact Voltage Rating In Volts:** 

28.0 dc at sea level

**Shaft Flat/slot Angular Location:** 

180.0 degrees from contact position 1 single actuator

**Switch Actuator Indexing Position Quantity:** 

24 single actuator

**Shaft Type:** 

Round, flatted single actuator

**Terminal Type:** 

Tab, solder lug

**Contact Switching Action:** 

Breaks before makes each section front

## NSN 5930-01-021-6316

Rotary Switch - Page 2 of 2



## **Switch Actuator Positioning Increment:**

15.0 degrees single actuator

## **Contact Load Current Rating:**

5.0 amperes resistive load ac at sea level

**Style Designator:** 

Tap, circular, bushing mount

**Thread Series Designator:** 

Uns single mounting facility

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A052b0