## NSN 5930-01-022-2051

Pressure Switch - Page 1 of 2

**Thread Class:** 

**Inside Diameter:** 

Overall Length:
4.000 inches
Overall Height:
1.750 inches
Overall Width:
2.750 inches

Gas

3b single pressure connection

0.438 inches single connection



View Online at https://aerobasegroup.com/nsn/5930-01-022-2051

| Unthreaded Mounting Hole Diameter:  |
|---|
| 0.203 inches  |
| Distance Between Mounting Facility Centers:   |
| 2.250 inches  |
| Pressure Switch Type:   |
| Gage  |
| Operating Tempurature Rating:   |
| Between -65.0 degrees fahrenheit and 275.0 degrees fahrenheit                           |
| Mounting Method:  |
| Bracket and unthreaded hole   |
| Contact Action Stimulus:  |
| Decrease  |
| Proof Pressure:   |
| 1000.00 pounds per square inch gage   |
| Thread Size:  |
| 0.438 inches single pressure connection   |
| Mounting Facility Pattern:  |
| Two position in-line  |
| Nonpile-up Contact Arrangement:   |
| 1 pole, double throw, one position momentary  |
| Terminal Type:  |
| Connector, receptacle   |
| Contact Load Current Rating:  |
| 5.0 amperes resistive load second voltage and 2.5 amperes inductive load second voltage |
| Contact Adjustability:  |
| Actuation point not adjustable  |
| Contact Stimulus Rating:  |
| 70.00 actuation point pounds per square inch  |
| Pressure Connector Type:  |
| Plain, threaded internal single connection  |
| Media For Which Designed:   |

## NSN 5930-01-022-2051

Pressure Switch - Page 2 of 2



Unf single pressure connection

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A048b0