NSN 5930-01-022-2053

Pressure Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-022-2053

Inside Diameter:
0.250 inches all connections
Overall Length:
4.875 inches
Overall Height:
3.281 inches
Body Length:
4.625 inches
Body Height:
2.500 inches
Distance Between Mounting Facility Centers:
5.250 inches
Pressure Switch Type:
Differential
Mounting Method:
Bracket
Features Provided:
Electrical access port
Contact Action Stimulus:
Decrease
Proof Pressure:
347.00 pounds per square inch gage
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Tab w/screw
Contact Load Current Rating:
3.2 amperes resistive load first voltage
Contact Adjustability:
Deactuation point adjustable and actuation point adjustable
Contact Adjustment Range:
+7.00/+70.00 actuation point pounds per square inch gage and +3.00/+58.00 deactuation point pounds per square inch gage
Contact Adjustment Type:
External deactuation point screw and external actuation point screw
Contact Voltage Rating In Volts:
550.0 ac at sea level first voltage
Pressure Connector Type:
Quick disconnect, unthreaded internal all connections

Gas or liquid

Media For Which Designed:

NSN 5930-01-022-2053

Pressure Switch - Page 2 of 2



Style Designator:
Rectangular
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A048b0