## NSN 5930-01-024-3440

Pressure Switch - Page 1 of 2

Overall Length: 5.188 inches Overall Height: 5.938 inches



View Online at https://aerobasegroup.com/nsn/5930-01-024-3440

Overall Width:
2.813 inches
Body Height:
2.500 inches
Longest Horizontal Distance Between Mounting Centers:
2.469 inches
<b>Shortest Horizontal Distance Between Mounting Centers:</b>
0.656 inches
Longest Vertical Distance Between Mounting Centers:
3.281 inches
Pressure Switch Type:
Differential
Mounting Method:
Bracket
Features Provided:
Electrical access port
Contact Action Stimulus:
Increase
Proof Pressure:
20.00 pounds per square inch
Thread Size:
0.250 inches single pressure connection
Mounting Facility Pattern:
Isosceles triangle
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Screw
Contact Load Current Rating:
9.6 amperes resistive load second voltage
Contact Adjustability:
Deactuation point adjustable and actuation point adjustable
Contact Adjustment Type:
External deactuation point screw and external actuation point screw
Contact Voltage Rating In Volts:
115.0 dc at sea level second voltage
Pressure Connector Type:
Inverted flare, threaded internal single connection

## **NSN 5930-01-024-3440**Pressure Switch - Page 2 of 2



Media For Which Designed:
Gas or liquid
Style Designator:
Rectangular w/bracket
Thread Series Designator:
Npt single pressure connection
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A048b0