

View Online at <https://aerobasegroup.com/nsn/5930-01-026-6361>

Thread Class:

3b all pressure connection

Inside Diameter:

0.438 inches all connections

Thread Length:

0.656 inches all pressure connection

Overall Length:

4.000 inches

Body Length:

0.570 inches

Overall Diameter:

2.500 inches

Pressure Switch Type:

Differential

Operating Temperature Rating:

Between -67.0 degrees fahrenheit and 160.0 degrees fahrenheit

Mounting Method:

Base

Thready Qty Per Inch (tpi):

20 all pressure connection

Contact Action Stimulus:

Increase

Proof Pressure:

120.00 pounds per square inch

Thread Size:

0.438 inches single pressure connection

Nonpile-up Contact Arrangement:

1 pole, double throw, both positions maintained

Sensing Element Burst Pressure:

180.00 pounds per square inch

Terminal Type:

Wire lead

Contact Load Current Rating:

15.0 amperes resistive load second voltage

Contact Adjustability:

Deactuation point not adjustable and actuation point not adjustable

Contact Stimulus Rating:

4.00 actuation point pounds per square inch and 1.00 deactuation point pounds per square inch and 3.00 differential point pounds per square inch

Contact Voltage Rating In Volts:

440.0 ac at sea level second voltage

Pressure Connector Type:

Plain, threaded internal all connections

Media For Which Designed:

Liquid

Style Designator:

Cylindrical

Thread Series Designator:

Unf all pressure connection

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiiig:

A048b0