NSN 5930-01-027-3244

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-027-3244

Overall Length:
1.250 inches
Overall Height:
0.410 inches
Overall Width:
0.380 inches
Body Length:
0.828 inches
Body Height:
0.371 inches
Unthreaded Mounting Hole Diameter:
Between 0.124 inches and 0.129 inches
Distance Between Mounting Facility Centers:
1.000 inches
Tempurature Sensing Element Type:
Internal sensor
Operating Tempurature Rating:
Between -85.0 degrees fahrenheit and 302.0 degrees fahrenheit
Mounting Method:
Bracket and unthreaded hole
Features Provided:
Hermetically sealed case
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
1.0 amperes resistive load first voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
89.00 actuation point degrees fahrenheit and 95.00 actuation point degrees fahrenheit and 87.20 deactuation point degrees fahrenheit and
93.20 deactuation point degrees fahrenheit and 1.80 differential point degrees fahrenheit
Contact Voltage Rating In Volts:
28.0 dc at sea level second voltage
Media For Which Designed:
Gas or liquid

Terminal surfaces gold

Precious Material And Location:

NSN 5930-01-027-3244

Thermostatic Switch - Page 2 of 2



Precious	Mate	rial	ŀ
----------	------	------	---

Gold

Style Designator:

Rectangular w/bracket

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A048b0