NSN 5930-01-027-8165

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-027-8165

| Overall Length: |
|---|
| 1.077 inches |
| Overall Height: |
| 0.670 inches |
| Body Diameter: |
| 0.572 inches |
| Body Height: |
| 0.364 inches |
| Distance Between Mounting Facility Centers: |
| 0.937 inches |
| Tempurature Sensing Element Type: |
| Internal sensor |
| Operating Tempurature Rating: |
| Between -80.0 degrees fahrenheit and 550.0 degrees fahrenheit |
| Mounting Method: |
| Bracket |
| Contact Action Stimulus: |
| Increase |
| Mounting Facility Pattern: |
| Two position in-line |
| Nonpile-up Contact Arrangement: |
| 1 pole, single throw, both positions maintained |
| Terminal Type: |
| Tab, solder lug |
| Contact Load Current Rating: |
| 5.0 amperes resistive load third voltage |
| Contact Adjustability: |
| Deactuation point not adjustable and actuation point not adjustable |
| Contact Stimulus Rating: |
| 175.00 actuation point degrees fahrenheit and 163.00 deactuation point degrees fahrenheit |
| Contact Voltage Rating In Volts: |
| 30.0 ac at sea level third voltage |
| Media For Which Designed: |
| Gas or liquid |
| Style Designator: |
| Disc w/flange |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| |

NSN 5930-01-027-8165

Thermostatic Switch - Page 2 of 2

Fiig: A048b0

