NSN 5930-01-029-0951

Sensitive Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-029-0951

Body Style:

Bushing mounted

Hazardous Locations/environmental Protection:

Dustproof and moisture resistant

Case Material:

Metal

Actuator Style:

Roller arm

Actuator Roller Diameter:

0.750 inches

Actuator Roller Width:

0.310 inches

Housing Diameter:

1.500 inches

Housing Length:

1.860 inches

Housing Bushing Length:

0.750 inches

Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

End Application:

Aircraft, eagle f-15

Inclosure Type:

Fully enclosed

Mounting Method:

Integral

Features Provided:

Actuator seal

Nonpile-up Contact Arrangement:

2 pole, double throw, one position momentary single switch unit

Switch Release Force:

144.0 inch-ounces

Criticality Code Justification:

Feat

Switch Actuating Force:

192.0 inch-ounces

Actuator Movement:

13.0 pretravel degrees and 32.0 overtravel degrees and 4.0 differential degrees

Contact Load Current Rating At Maximum Rated Voltage:

5.000 amperes resistive dc and 3.000 amperes inductive dc and 4.000 amperes motor dc and 5.000 amperes resistive ac and 5.000

amperes inductive ac

Special Features:

Weapon system essential

NSN 5930-01-029-0951

Sensitive Switch - Page 2 of 2



Terminal Type And Quantity:

6 wire lead

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A053a0